Boston Planning and Development Agency Climate Change Checklist

A.1 - Project Information						
Project Name:						
Project Address:						
Project Address Additional:						
Filing Type (select)	Initial (PNF, EPNF, NPC or other substantial filing) Design / Building Permit (prior to final design approval), or Construction / Certificate of Occupancy (post construction completion)					
Filing Contact	Name	Company		Email	Phone	
Is MEPA approval required	Yes/no					
A.3 - Project Team						
Owner / Developer:						
Architect:						
Engineer:						
Sustainability / LEED:						
Permitting:						
Construction Management:						
A.3 - Project Description and Design	Conditions					
List the principal Building Uses:						
List the First Floor Uses:						
List any Critical Site Infrastructure and or Building Uses:						
Site and Building:					_	
Site Area:		SF	Building	Area:		SF
Building Height:		Ft	Building	Height:		Stories
Existing Site Elevation - Low:		Ft BCB	Existing	Site Elevation – High		Ft BCB
Proposed Site Elevation - Low:		Ft BCB	Proposed	d Site Elevation – Hig	jh:	Ft BCB
Proposed First Floor Elevation:		Ft BCB	Below gr	ade spaces/levels:		#
Building Proximity to Water:		Ft				

DRAFT FOR PUBLIC COMMENT

For this filing – how were energy loads and performance determined?:				
Annual Electric:	(kWh)	Peak Electric:	(kW)	
Annual Heating:	(MMbtu/hr)	Peak Heating:	(MMbtu)	
Annual Cooling:	(Tons/hr)	Peak Cooling:	(Tons)	
Energy Use - Below ASHRAE 90.1 - 2013:	%	Have the local utilities reviewed the building energy performance?:	Yes / no	
Energy Use - Below Mass. Code:	%	Energy Use Intensity:	(kBtu/SF)	
Back-up / Emergency Power Syste				
Electrical Generation Output:	(kW)	Number of Power Units:		
System Type:	(kW)	Fuel Source:		
Emergency and Critical System Loa			(MMht., /hr)	
Electric:	(kW)	Heating:	(MMbtu/hr)	
		Cooling:	(Tons/hr)	
B – Greenhouse Gas Reduction and Net Zero / Net Positive Carbon Building Performance Reducing greenhouse gas emissions is critical to avoiding more extreme climate change conditions. To achieve the City's goal of carbon-neutrality by 2050 the performance of new buildings will need to progressively improve to carbon net zero and net positive. B.1 – GHG Emissions - Design Conditions				
J		is Filing - Annual Building GHG Emissions:	(Tons)	
For this filing - describe how building energy performance has been integrated into project planning and design and any supporting analysis or modeling:				
Describe building specific energy efficiency measures including orientation, massing, building envelop, and systems:				
Describe building specific load reduction strategies including on-site renewable energy, clean energy, and storage systems:				

Describe any area or district scale emission distributed energy systems, and smart gri		egies including renewable energy, central e	energy plants,
B.2 - GHG Reduction - Adaptation Strate	gies		
		ther reduce GHG emissions and achieve ar easures, renewable energy, energy storage	
C - Extreme Heat Events			
Annual average temperature in Boston increclimate change. By the end of the century, to number of days above 90° (currently about	he average annua	I temperature could be 56° (compared to	
C.1 – Extreme Heat - Design Conditions			1
Temperature Range - Low:	Deg.	Temperature Range - High:	Deg.
Annual Heating Degree Days:		Annual Cooling Degree Days	
What Extreme Heat Event characteristics	will be / have bee	n used for project planning	
Days - Above 90°:	#	Days - Above 100°:	#
Number of Heatwaves / Year:	#	Average Duration of Heatwave (Days):	#
Describe all building and site measures to	reduce heat-islaı	nd effect at the site and in the surrounding	area:
C.2 - Extreme Heat – Adaptation Strateg	gies		
Describe how the building and its systems higher extreme temperatures, additional a		o efficiently manage future higher average , and longer heatwaves:	temperatures,
Describe all mechanical and non-mechan interruptions of utility services and infrast		t will support building functionality and use proposed and future adaptations:	e during extended
_			

D - Extreme Precipitation Events

From 1958 to 2010, there was a 70 percent increase in the amount of precipitation that fell on the days with the heaviest precipitation. Currently, the 10-Year, 24-Hour Design Storm precipitation level is 5.25". There is a significant probability that this will increase to at least 6" by the end of the century. Additionally, fewer, larger storms are likely to be accompanied by more frequent droughts.

D.1 - Extreme Precipitation - Design Conditions				
10 Year, 24 Hour Design Storm: In.				
Describe all building and site measures for reducing storm w	ater run-off:			
D.2 - Extreme Precipitation - Adaptation Strategies				
Describe how site and building systems will be adapted to eff (e.g. rainwater harvesting, on-site storm water retention, bio		cant rain events		
E - Sea Level Rise and Storms				
Under any plausible greenhouse gas emissions scenario, the sea level in Boston will continue to rise throughout the century. This will increase the number of buildings in Boston susceptible to coastal flooding and the likely frequency of flooding for those already in the floodplain.				
Is any portion of the site in a FEMA SFHA?	Yes / No What Zone:	A, AE, AH, AO, AR, A99, V, VE		
Current	FEMA SFHA Zone Base Flood Elevation:	Ft BCB		
_				
Is any portion of the site in the BPDA Sea Level Rise Flood Hazard Area? If so, visit: (See Checklist Guidance for Map. This map will be replaced with an online mapping tool)	Yes / No			
If you answered YES to either of the above questions, ple Otherwise you have completed the questionnaire; thank		,		

E.1 - Sea Level Rise and Storms - Design Conditions

Proposed projects should identify immediate and future adaptation strategies for managing the flooding scenario represented by the Sea Level Rise Flood Hazard Area (SLR-FHA), which includes 3.2' of sea level rise above 2013 tide levels, an additional 2.5" to account for subsidence, and the 1% Annual Chance Flood. After using the SLR-FHA to identify

a project's Sea Level Rise Base Flood Elevation, proponents should calculate the Sea Level Rise Design Flood Elevation by adding 12" of freeboard for buildings, and 24" of freeboard for critical facilities and infrastructure and any ground floor residential units.

Sea Level Rise Base Flood Elevation:	Ft BCB		
Sea Level Rise Design Flood Elevation:	Ft BCB	First Floor Elevation:	Ft BCB
Site Elevations at Building:	Ft BCB	Accessible Route Elevation:	Ft BCB
Describe site design strategies for adareas, hard and soft barriers, wave / v		e including building access during flood events water systems, utility services, etc.:	ents, elevated site
		n will be achieved including dry / wet flood od barriers, waste and drain water back flo	
Describe how occupants might shelte water provisions and the expected av		oding event including any emergency powe measures:	r, water, and waste
Describe any strategies that would su	pport rapid recovery a	after a weather event:	
E.2 - Sea Level Rise and Storms - A	Adaptation Strategie	es	
		n strategies for responding to sea level rise velocity breaks, storm water systems, utility	
S			,
Describe future building adaptation si critical systems, including permanent		ne Sea Level Rise Design Flood Elevation ar ures:	nd further protecting
Thank you for completing the Boston	Climate Change Ch	ecklist!	
For questions or comments about this John.Dalzell@boston.gov	s checklist or Clima	te Change best practices, please conta	ct:
Boston Climate Change - Checklist – Pag	e 5 of 5	DRAFT - Sept	ember 20, 2017