TO: Jeffery Hampton, Executive Secretary

Boston Zoning Commission 1 City Hall Square, 9th Floor

Boston, MA 02201

FROM: Listed City of Boston Resident Petitioners

DATE: May 5, 2025

RE: Petition to Amend the City of Boston Zoning Code

Squares + Streets Article 26, Article 3, Article 8 (Table A)

As provided by Chapter 665 of The Acts of 1956 § 3, as amended, please find enclosed a residents petition to amend the City of Boston Zoning Code (the "Residents Petition").

These amendments address elements of the recently adopted Article 26 Squares + Streets ("S+S") to include a wider range of development options in the future S+S districts by the addition of two additional S-Zones (S0.a and S2.5), and through relaxed restrictions on Table 8 uses to reflect our concerns with the viability of the businesses located in the S+S study areas, which are our core neighborhood commercial areas.

The intent is to help make Squares + Streets a success through flexibility and choices that reflect neighborhood shared priorities and to advance the concept that S&S Zones are truly "Mixed Use" zones and encourage transit-oriented development.

While we respect the purpose of Article 26, the urgent need for housing, and the logic of density near public transportation, we request that the Zoning Commission recognize that the Squares in the S+S study areas are the same places where residents live, work, shop, eat, and recreate. Neighborhood squares have long struggled with empty storefronts and to attract and keep businesses. The Zoning Code, in particular Article 8 Table A, should remove, rather than impose, restrictions for commercial and retail uses and encourage these uses that are necessary for active neighborhood centers, including on upper floors.¹

S+S districts should provide both a meaningful transitional residential-oriented district bordering the Squares, as well as reflect the mixed-use nature of the Squares by not turning our store-lined streets into private residential blocks. We assert our petition addresses both.

We trust that the City of Boston Planning Department review of the revised Residents Petition will find the proposed Amendments to be a helpful addition to meeting the goals of S+S and provide a Staff Report to recommend adoption of such by the Zoning Commission.

While the Residents Petition does not address all the concerns raised by residents at Boston Planning meetings and neighborhood meetings, it should not be lost on those responsible for planning and development in our city, that serious work on S+S implementation remains to address the concerns with:

¹ Before and after the adoption of Article 26, residents have expressed the concern of limitations on business to the Boston Planning staff and pointed to the many examples of upper floor businesses in the S+S study areas as an example of what works in Boston's neighborhood centers.

- Parking;
- Transportation improvements;
- Historical and Cultural resources;
- Urban Tree Canopy;
- Resident Displacement;
- Business Displacement; and
- Affordability

SIGNED,

Elaine Coveney for Hyde Park Neighborhood Association

On behalf of:

June 4, 2024 Residents Petition Signatories

EXHIBIT A: Residents Petition Amendments 5/05/2025 Squares+ Streets Districts Article 26 and to Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

ARTICLE 26 - SQUARES+ STREETS DISTRICTS

Section 26-1. - Purpose of squares+ streets districts.

Squares+ Streets Districts are areas characterized by a mix of uses, significant transit service, and high levels of pedestrian activity. The purpose of these districts is to support and increase the mix of uses, support walkability, encourage adaptive reuse, and designate areas as appropriate for infill development and housing supply growth, to be delivered as the result of coordinated City planning and investment. Squares+ Streets districts and their purposes are listed in this Section 26-1 in order of increasing intensity:

A. The S0.a Transition Residential district is a residential district that provides opportunity for increased residential density while retaining essential and valued existing residential neighborhood features. Residential uses are limited to not more than 4 dwelling units or 5-8 units allowed through a Conditional Use Permit, with corresponding building footprint, lot coverage, and height requirements. Active, commercial and community serving uses are more limited in S0.a districts. Of the Squares+ Streets districts, S0.a has the smallest building footprint and lot coverage requirements and the largest yards and Permeable Area of Lot.

B. The S0 Transition Residential district is a primarily residential mixed-use district that provides a transition from mixed-use and high-activity Squares+ Streets to lower- activity residential areas. S0 also provides some flexibility for other active, commercial, and community serving uses, such as small retail spaces, on the ground floor of buildings. Residential uses are limited to no more than 14 dwelling units. Of the Squares + Streets districts, S0 has the smallest building footprint and lot coverage requirements and the largest yards and Permeable Area of Lot.

- C. The S1Main Street Living district is a mixed-use district where buildings generally have principally residential uses. S1 also provides more opportunity for active and commercial uses, such as banks, museums, restaurants, and retail spaces. S1 requires small-scale side and front yards and minimum Permeable Area of Lot.
- D. The S2 Main Street Mixed Use district is a small- to medium-scale mixed-use district that allows more active and many commercial uses, especially on the ground floor. S2 buildings can fill the width of the lot to help create a continuous and active main street. S2 includes requirements for Outdoor Amenity Space and a maximum for the blank wall of a facade. The S2 Mixed-Use district allows for height limitations to enhance compatibility with existing and historic urban fabric and neighborhood scale and to avoid shadow, wind, and other height-related impacts.
- E. The S2.5 Main Street Mixed Use district similar to S2, is a small-scale mixed-use district that allows more active and commercial uses and allows more active and commercial uses on upper floors similar to existing conditions. S2.5 provides for additional building height or floor and floorplate over S2 and encourages Active Uses on the ground floor and prohibits dwelling units on Primary Lot Frontage or along commuter rail stations. S2.5 buildings can fill the width of the lot to help create a continuous and active main street. S2.5 includes requirements for Outdoor Amenity Space and a maximum for the blank wall of a facade. The S2.5 Mixed-Use district

Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

allows for height limitations to medium-scale buildings that enhance compatibility with existing and historic urban fabric and neighborhood scale and to avoid shadow, wind, and other height-related impacts.

- F. The S3 Active Main Street district is a mixed-use district of medium-scale buildings. In addition to residential, the S3 district allows more commercial and active uses on upper floors, such as hotels and offices. S3 requires Active Uses on the ground floor and prohibits dwelling units on the ground floor primary lot frontage and along commuter rail stations. The district also introduces a more restrictive building lot coverage for large lots.
- G. The S4 Active Squares district is a mixed-use district characterized by medium to large-scale mixed-use buildings with the widest range of allowed uses among the Squares+ Street districts. Commercial, hospitality, and entertainment uses are allowed throughout the building, and Active Uses are required on the ground floor.
- H. The S5 Placemaker Squares is a mixed use district intended for areas in the heart of high activity squares, closest to transit, with high street frontage, and surrounding density. It is characterized by the largest-scale mixed-use buildings of Squares+ Streets districts. S5 allows the same wide range of uses as S4, with ground floor Active Use and higher Outdoor Amenity Space requirements.

(Text Amd. No. 470, § 1, 4-23-2024)

Section 26-2. - Establishment of Squares+ Streets Districts.

- A. This Section 26-2, together with Section 3-1 (Establishment of Zoning Districts) establishes eight Squares+ Streets Districts (S0.a, S0, S1, S2, S2.5, S3, S4, and S5). A Squares+ Streets District is indicated by the designation "S0.a", "S0", "S1", "S2", "S2.5", "S3", "S4", and "S5" on any official zoning map of the City of Boston. The provisions of Article 26 and the remainder of this Code constitute the zoning regulations in a Squares+ Streets District. Unless otherwise specified in this Article, where conflicts exist between a provision of this Article and the remainder of this Code, the provision of this Article shall govern.
 - B. Use Regulations Applicable in Squares+ Streets Districts. Use regulations for Squares+ Streets districts are set forth in Article.8 (Regulation of Uses) and in Table A of this Article.
- C. Dimensional Regulations Applicable in Squares+ Streets Districts. Dimensional Regulations for Squares+ Streets districts are set forth in Table B of this Article. The illustrations included in Figure 1 of this Article depict the dimensional standards set forth in Table B. Where conflicts exist between an illustration or other graphic and the text of any provision of this Code, the text shall govern.
- D. Parking and Loading Regulations Applicable in Squares+ Streets Districts. Parking regulations for Squares+ Streets districts are set forth in Article 23 (Off-Street Parking). Loading regulations for Squares + Streets are set forth in Article 24 (Off-Street Loading).
- E. Within a Squares + Streets District, no Planned Development Area shall be permitted.

Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

FIGURE 1: ILLUSTRATED LOT AND BUILDING ENVELOPE STANDARDS

Illustrated Lot Standards		
(3)	A	Building Lot Coverage
9 . 8 9 . 9	В	Permeable Area of Lot
	C	Front Yard
	D	Side Yard
	E	Rear Yard

Illustrated Building Envelope Standards		
	Α	Building Floor Plate
	В	Building Width
	С	Building Height
	D	Highest Story Rear Stepback
6	E	Ground Floor Ceiling Height
	F	Ground Floor Active Use
G		Requirement
G		
3		
M. A.		

EXHIBIT A: Residents Petition Amendments 5/05/2025 Squares+ Streets Districts Article 26 and to Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

TABLE A: - ADDITIONAL USE AND PERFORMANCE STANDARDS

USE AND PERFORMANCE STANDARDS	S0.a	S0	S1	S2	S2.5	S3	S4	S5
STANDARDS FOR USES THA	T ARE NO	Γ ACTIV	E USES					
Ground Floor Active Use Requirement	-	-	-	-	Active Use(s) must occupy at least 50% of the Building Width of the Ground Floor along the Primary Lot Frontage or along a comuter rail station to a minimum Ground Floor Use Depth of 20' 1,2	Active Use(s) must occupy at least 50% of the Building Width of the Ground Floor along the Primary Lot Frontage, or along a comuter rail station to a minimum Ground Floor Use Depth of 20' 1,2	occupy at 50% of th Building the Grour along the Lot Front along a c rail statio minimum	Width of and Floor Primary age or comuter n to a
Percentage of Building Width of Ground Floor Active Use (min)	-	-	-	-	50% 1,2	50% 1,2	50% 1,2	50% ^{1, 2}
Depth (min) of Ground Floor Active Use	-	-	-	-	20' 1,2	20' 1.2	25' 1,2	25' 1,2
STANDARDS FOR RESIDEN	HAL USES		Ι	I	I	I		
Ground Floor Dwelling Units Allowed	Yes	Yes	Yes	Conditional on Primary Lot Frontage or along commuter rail stations; Allowed on non-Primary Lot Frontage with 4' Front Yard (min)	Forbidden on Primary Lot Frontage or along commuter rail stations; Allowed on non- Primary Lot Frontage with 4' Front Yard (min)	Forbidden on Primary Lot Frontag along commuter rail stations; Allo on non-Primary Lot Frontage with Front Yard (min)		; Allowed
Dwelling Units (max)	8	14	-	-	-	-	-	-
STANDARDS FOR TRANSPO	RTATION	USES						
Standalone Parking Garage	-	-	-	-	Another allowed use, th located on the ground fl frontage that abuts a pul minimum Ground Floor	oor of the building blic sidewalk, stree	along any	lot
STANDARDS FOR INDUSTR	IAL AND ST	ORAGE	USES					
Food and Beverage Production	-		-	-	-	Must include a minimum of 500 sf of accessory or associated Restaurant or Retail use	Must incl minimum sf of acce associated Restaurar Retail use	of 1,000 essory or d nt or

EXHIBIT A: Residents Petition Amendments 5/05/2025 Squares+ Streets Districts Article 26 and to Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

Footnotes to Table A (Additional Use and Performance Standards) No changes

- 1. Active Use(s), as defined in Article 8 Table A, are required to occupy a minimum of the ground floor building width at the minimum depth along primary lot frontage specified in Article 26 Table A, except when the principal use(s) is a Civic Use or Open Space Use, as defined in Article 8 Table A; or when a Proposed Project is an affordable housing development project in which at least 60% of units income restricted at 100% or below of AMI and reviewed under Article 80 Small or Large Project Review.
- 2. For any project that is subject to or has elected to comply with Large Project Review or Small Project Review under the provisions of Article 80, the required Ground Floor Active Use width and depth may be located along any Building Facade through such review process.

(Text Amd. No. 470, § 1, 4-23-2024)

EXHIBIT A: Resident's Petition Amendments 5/05/2025 Squares+ Streets Districts Article 26 and to Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

TABLE B: - DIMENSIONAL REGULATIONS

Building Lot Coverage (max) for Lots smaller than 11,000 sf	LOT STANDARDS	S0.a	SO	S1	S2	S2.5	S3	S4	S5
(max) for Lots smaller than 11,000 sf Building Lot Coverage (max) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots smaller than 11,000 sf Permeable Area of Lot (min) for Lots smaller than 11,000 sf Permeable Area of Lot (min) for Lots smaller than 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Pront Yard (min) Abutting non-residential zoning district Is'		50.4	50	51	52	02.0	50	5.	50
than 11,000 sf Building Lot Coverage (max) for Lots greater than or equal to 11,000 sf		600/-	60%	709/	70%	Q00/-	00%	00%	800/
Building Lot Coverage (max) for Lots greater than of equal to 11,000 sf		00 70	00%	/0%	/070	00 70	90%	9070	8070
(max) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots smaller than 11,000 sf Permeable Area of Lot (min) for Lots smaller than 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Permeable Area of Lot (min) for Lot (min) for Lots greater than or equal to									
Permeable Area of Lot (min) for Lots smaller than 1,000 sf Permeable Area of Lot (min) for Lots smaller than 11,000 sf Permeable Area of Lot (min) for Lots smaller than 11,000 sf Permeable Area of Lot (min) for Lots smaller than or equal to 11,000 sf Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf Pront Yard (min) Abutting sprater than 15' 15'		600/	600/	700/	700/	500 /	700/	700/	700/
Permeable Area of Lot (min) for Lots smaller than 30% 20% 15% 15% 15% 15% - - - - -		60%	60%	70%	70%	70%	/0%	/0%	/0%
Maximum Building Height (in stories) Maximum Building Feach (imax) Maximum Building Height (in stories) Maxi									
11,000 sf									
Permeable Area of Lot (min) for Lots greater than or equal to 11,000 sf 15% 15		30%	20%	15%	15%	15%	-	-	-
(min) for Lots greater than or equal to 11,000 sf or equal to 12,000 sf or equal to 12,0									
Section Sect	Permeable Area of Lot								
Front Yard (min)	(min) for Lots greater than	30%	20%	15%	15%	15%	15%	15%	15%
Rear Yard (min)	or equal to 11,000 sf								
Abutting non-residential zoning district Abutting residential zoning district I5'	Front Yard (min)	8'	8'	6'	2' 1	2' 1	2' 1	2'	2'
Abutting non-residential zoning district Abutting residential zoning district I5'	Rear Yard (min)								
2001ing district 15' 15' 15' 15' 15' 15' 15' 15' 20' 20'									
Abutting residential zoning district 15' 15' 15' 15' 15' 15' 20' 2		15'	15'	10'	10'	5'	5'	[5'	5'
15	_								
Side Yard (min)		15'	15'	15'	15'	15'	15'	20'	20'
With a party wall, abutting non-residential zoning district - - - 0'	_								
abutting non-residential zoning district Without a party wall, abutting non-residential zoning district Without a party wall, abutting non-residential zoning district Abutting a residential zoning district BUILDING FORM STANDARDS Building Floor Plate (max st) Building Width (max) Maximum Building Height (in feet) Maximum Building Height (in stories) Outdoor Amenity Space (min) Rear Stepback of Highest Story (min) where the rear yard abuts a residential zoning district Building Story (min) where the rear yard abuts a residential zoning district Buildings Na N									
2001ing district 14'									
Without a party wall, abutting non-residential zoning district		-	-	-	0'	0'	0'	0'	0'
abutting non-residential zoning district Abutting a residential zoning district Abutting a residential zoning district BUILDING FORM STANDARDS Building Floor Plate (max sf) Sola So									
Abutting a residential zoning district		14'	14'	10'					
Abutting a residential zoning district 14' cumulative (3' min)		cumulativ			5'	5'	5'	5'	5'
Abutting a residential zoning district cumulative (3 'min) cumulative (2 'min) cumulative (3 'min) cumulative (3 'min) cumulative (2 'min) cumulative (3 'min) cumulative (2 'min) cumulative (3 'min) cumulative (2 'min) cumulat	zoning district	e (3' min)	(3' min)	(3' min)					
Sumulative Cumulative Cum	Abutting a manidantial	14'	14'	14'					
BUILDING FORM S0.a S0 S1 S2 S2.5 S3 S4 S5	_	cumulativ	cumulative	cumulative	15'	15'	15'	15'	15'
BUILDING FORM STANDARDS S0.a S0 S1 S2 S2.5 S3 S4 S5	zoning district	e (3 ¹ min)	(3 ¹ min)	(3' min)					
STANDARDS S0.a S0 S1 S2 S2.5 S3 S4 S5									
Building Floor Plate (max sf)	BUILDING FORM	GO.	GO	64	G2	CO #	G2	G.4	o.=
Section Sect	STANDARDS	80.a	50	51	52	82.5	83	54	99
Section Sect	Building Floor Plate (max								
Building Width (max) -		4000	4,000	8,000	15,000	20,000	20,000	25,000	25,000
Maximum Building Height (in feet) 2 Maximum Building Height (in stories) 2 Outdoor Amenity Space (min) Rear Stepback of Highest Story (min) where the rear yard abuts a residential zoning district Blank Wall of Facade (max) 3 Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.		_	_	120'	150'	150'	150'	200'	250'
(in feet) 2		_		120	130	150	150	200	230
Maximum Building Height (in stories) 2 Outdoor Amenity Space (min) Rear Stepback of Highest Story (min) where the rear yard abuts a residential zoning district Blank Wall of Facade (max) 3 Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.		35'	50'	50'	65'	75'	85'	85'	145'
(in stories) 2 Outdoor Amenity Space (min) Rear Stepback of Highest Story (min) where the rear yard abuts a residential zoning district Blank Wall of Facade (max) 3 Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.									
Outdoor Amenity Space (min) Rear Stepback of Highest Story (min) where the rear yard abuts a residential zoning district Blank Wall of Facade (max) 3 Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.		3	4	4	5	6	7	7	-
(min) Rear Stepback of Highest Story (min) where the rear yard abuts a residential zoning district Blank Wall of Facade (max) 3 Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.									
Rear Stepback of Highest Story (min) where the rear yard abuts a residential zoning district Blank Wall of Facade (max) 3 Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.	1	_	_	_	20%	20%	20%	25%	30%
Story (min) where the rear yard abuts a residential zoning district Blank Wall of Facade (max) ³ Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.									
yard abuts a residential zoning district Blank Wall of Facade (max) ³ Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.									
yard abuts a residential zoning district Blank Wall of Facade (max) 3 Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.	Story (min) where the rear				L	7'	7'	7'	7'
Blank Wall of Facade (max) 3 Active and Commercial Uses Ground Floor Height (min) Multiple buildings No.	yard abuts a residential	-	Ī	Ī	-	'	'	l'	'
(max) 3 15' 15' 15' 15' Active and Commercial Uses Ground Floor Height 14 1 14' 14' 14' (min) Multiple buildings	zoning district								
(max) 3 15' 15' 15' 15' Active and Commercial Uses Ground Floor Height 14 14' 14' 14' 14' (min) Multiple buildings	Blank Wall of Facade				1.51	4.51	1.51	1.51	1.51
Active and Commercial Uses Ground Floor Height 14 14' 14' 14' 14' (min) Multiple buildings		-	-	-	¹⁵ '	15'	15'	15'	15'
Uses Ground Floor Height 14 14 14 14 14 14 14 Multiple buildings									
(min) Multiple buildings No. No. No. Voc. Voc. Voc. Voc. Voc.	I	_	_	_	14 1	14'	14'	1 _{14'}	14'
Multiple buildings					' '	1.7	l ^{* '}	' '	
	Multiple buildings	No	N _a	N.	V	Vas	V	Van	V
	(detached) allowed on lot 4	140	110	110	1 68	1 68	1 68	1 68	1 68

and to

Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

Footnotes to Table B (Dimensional Regulations) *No changes*

- 1.If a dwelling unit is located on the ground floor abutting a Front Yard, as defined in <u>Article 2</u> and Section 18-4, the Front Yard must have a minimum depth of 4 feet.
- 2. As defined in <u>Article 2</u>, when maximum building height is specified in both stories and feet, both requirements must be met.
- 3. For any project that is subject to or has elected to comply with Large Project Review or Small Project Review under the provisions of Article 80, the maximum Blank Wall of Facade may be established on any lot frontage through such review process.
- 4. In the case of attached buildings, yards are to be measured from the exterior building facade as if it was one structure.

(Text Amd. No. <u>470,</u> § 1, 4-23-2024)

ARTICLE 2: (Definitions): *No changes*

ARTICLE 3: ESTABLISHMENT OF ZONING DISTRICTS

Section 3-1. Division of the City into Districts.

Section 3-1.(a) Mixed Use Districts: S0.a, S0. S1, S2, S2.5, S3, S4, S5

(See Text Amd. No. 452, §§ 1A., B., 1C., 10-26-2021. Text Amd. No.

470, § 1, 4-23-2024)

ARTICLE 11 SIGNS

Section 11-2. - On-Premise Signs in all Other Districts.

(e) One free standing sign, except in a B-2, B-3-65, B-4, B-6-90a, B-6-90b, B-8, B-8-120a, B-8-120b, B-8-120c, B-10, S0.a, S0, S1, S2, S2.5, S3, S4, or S5 district, or the Harborpark District, provided that such sign has no more than two faces...

Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

- Section 8-3. Use Regulations.
- TABLE A: USE REGULATIONS

Key:

Districts. S = Squares + Streets

Status.

A*, A-G - C*, A-G - F*, C*, or C-G - F* = Subject to district Use and Performance Standards

ALLOWED

A = Allowed

A-G - C = Allowed only on basement or ground floor (Conditional on upper stories)

A-G - F = Allowed only on basement or ground floor (Forbidden on upper stories)

CONDITIONAL

C = Conditional

C-G - F = Conditional only on basement or ground floor (Forbidden on upper stories)

FORBIDDEN

F = Forbidden

See <u>Section 3-1</u> (Division of the City into Districts) for listing of districts.

EXHIBIT A: Residents Petition Amendments 5/05/2025 Squares+ Streets Districts Article 26 and to Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

	Squares + Streets (S)							
	S0.a	SO	S1	S2	S2.5	S3	S4	S5
OPEN SPACE USES								
Cemetery	F	F	F	F	F	F	F	F
Private Open Space	C	С	C	С	C	С	С	C
Publicly Accessible Open Space	A	A	A	A	A	A	A	A
CIVIC USES								
Child Care/Adult Day Health Center	A	A	A	A	A	A	A	A
Community Center	C	С	A	A	A	A	A	A
Municipal Use	A	A	A	A	A	A	A	A
Place of Worship	A	A	A	A	A	A	A	A
School, K through 12	A	A	A	A	A	A	A	A
RESIDENTIAL USES								
Artists' Live-Work	A*	A*	A*	A*	A*	A*	A*	A*
Fraternity or Sorority	F	F	F	F	F	F	F	F
Household Living - 1—4 units	A	A	A	A*	A*	A*	A*	C*
Household Living - 5—8 units	C	A	A	A*	A*	A*	A*	A*
Household Living - 9—14 units	F	A	A	A*	A*	A*	A*	A*
Household Living - 15+ units	F	F	A	A*	A *	A*	A*	A*
Lodging House	F	F	С	C*	C*	C*	A*	A*
Mobile Home Establishment	F	F	F	F	F	F	F	F
Shelter Facility	F	F	F	F	F	F	F	F
Supportive Housing	A*	A*	A	A*	A*	A*	A*	A*
COMMERCIAL USES								
Adult Entertainment	F	F	F	F	F	F	F	F
Art Studios	A	A	A	A	A*	A*	A*	A*
Bank	C-G - F	C-G - F	C-G - F	C-G - F	C*	C*	C*	C*
Check Casher	F	F	F	F	F	F	F	F
Drive-in	F	F	F	F	F	F	F	F
Funeral Home	C	C	С	С	C*	C*	C*	C*

Entertainment/Events -		1	1	I		1	I	I
Extra Small	C*	A*	A*	A*	A*	A*	A*	A*
Entertainment/Events - Small	F	F	A-G -C*	A-G -C*	A-G -C*	A-G -C*	A*	A*
Entertainment/Events - Medium	F	F	F	A-G -C*	A-G -C*	A-G -C*	A*	A*
Entertainment/Events - Large	F	F	F	F	C*	C*	C*	C*
Entertainment/Events - Extra Large	F	F	F	F	F	F	F	F
Funeral Home	F	F	С	С	C*	C*	C*	C*
Grocery Store - Small	A	A	A	A*	A*	A*	A*	A*
Grocery Store - Large	С	С	A-G - C	A-G - C*	A-G -C*	A-G -C*	A*	A*
Hotel - Small	C*	C*	C*	C*	A*	A*	A*	A*
Hotel - Large	F	F	F	F	C*	C*	C*	C*
Indoor Recreation	A-G -C*	A-G -C*	A-G -C*	A-G -C*	A *	A*	A*	A*
Makerspace	F	F	A*	A*	A*	A*	A*	A*
Museum	C	C	A*	A*	A*	A*	A*	A*
Office - Small	A*	A*	A*	A*	A*	A*	A*	A*
Office - Medium	A*	A*	A*	A*	A*	A*	A*	A*
Office - Large	F	F	F	F	C*	C*	C*	C*
Research Laboratory	F	F	F	F	F	F	F	F*
Restaurant - Small	A*	A*	A*	A*	A*	A*	A*	A*
Restaurant - Large	A-G -C*	A-G -C*	A-G -C*	A*	A *	A*	A*	A*
Retail Cannabis Establishment	C-G - F	C-G - F	C-G - F	C-G - F	C-G - F	C-G - F	С	С
Retail Store - Small	A*	A*	A*	A*	A*	A*	A*	A*
Retail Store - Medium	A-G - C	A-G - C	A-G - C	A-G - C*	A*	A*	A*	A*
Retail Store - Large	F	F	F	F	F	F	C*	C*
Service Establishment - Small	C-G - F	C-G - F	A*	A*	A*	A*	A*	A*
Service Establishment - Large	F	F	F	A-G -C*	A *	A*	A*	A*
Social Club	С	С	A*	A*	A*	A*	A*	A*
Standalone ATM	C	C	C*	C*	C*	C*	C*	C*
HIGHER EDUCATION USES								
College or University Use	F	F	F	С	C	С	С	С
School, Trade or Professional	F	F	F	С	С	С	A	A

HEALTH CARE		ı	ı	ı		1	ı	ı
HEALTH CARE USES								
Clinic	A*	A *	A*	A	A	A	A	A
Hospital Use	F	F	F	F	F	F	С	C
Nursing Home Use	C	C	C	C	A*	A*	A*	A*
TRANSPORTATION								
USES								
Airport-Related Remote Parking Facility	F	F	F	F	F	F	F	F
Gasoline Station	F	F	F	F	F	F	F	F
Major Transportation Facility	F	F	C*	C*	C*	C*	C*	C*
Motor Vehicle Rentals	F	F	F	F	C*	C*	C*	C*
Motor Vehicle Sales	F	F	F	F	F	F	F	F
Standalone Parking Garage	C*	C*	C*	C*	C*	C*	C*	C*
Standalone Parking Lot	C	C	C	C	C	С	С	С
Vehicular Services	F	F	F	F	F	F	F	F
INDUSTRIAL AND STORAGE USES								
Crematory	F	F	F	F	F	F	F	F
Food and Beverage Production	F	F	F	F	F	C*	A*	A*
General Industrial	F	F	F	F	F	F	F	F
Light Manufacturing or Trade Establishment	F	F	F	F	F	F	C*	C*
Non-retail Cannabis Establishment	F	F	F	F	F	F	F	F
Restricted Industrial	F	F	F	F	F	F	F	F
Self-Storage	F	F	F	F	F	F	F	F
Storage of Fuel or Minerals	F	F	F	F	F	F	F	F
Storage of Supplies and Scrap	F	F	F	F	F	F	F	F
Urban Agriculture	See Article 89	See Article 89	See Article 89	See Article	See Article	See Article 89	See Article 89	See Article
Warehouse or Distribution Center	F	F	F	F	F	F	F	F
Accessory uses must comply with the provisions of Section 8-2.5								
ACCESSORY USES								

Accessory Drive- Through	F	F	F	F	F	F	F	F
Accessory Dwelling Unit (Detached)	C	С	С	F	F	F	F	F
Accessory Dwelling Unit (non-Detached)	C	С	С	F	F	F	F	F
Accessory Electrical Vehicle Charging	A	A	A	A	A	A	A	A
Accessory Entertainment/Events	C	С	A	A	A	A	A	A
Accessory Family Child Care Home	A	A	A	A	A	A	A	A
Accessory Helicopter Landing Facility	F	F	F	F	F	F	F	F
Accessory Home Occupation	A	A	A	A	A	A	A	A
Accessory Keeping of Animals	C	С	С	С	C	С	С	С
Accessory Keeping of Laboratory Animals	F	F	F	F	F	F	F	F
Accessory Motor Vehicle Rental	A	A	A	A	A	A	A	A
Accessory Office	A	A	A	A	A	A	A	A
Accessory Parking	A	A	A	A	A	A	A	A
Accessory Personnel Quarters	F	F	С	С	C	С	С	С
Accessory Smoking	F	F	F	F	F	С	С	C
Shared Parking	A	A	A	A	A	A	A	A

Article 3, Article 11, Table A of Article 8 and Appendix A to Article 89

APPENDIX A to ARTICLE 89 Zoning Districts and Subdistricts Corresponding to General Zoning Categories Referred to in Article 89

RESIDENTIAL		COMMERCIAL		INDUSTRIAL	INSTITUTIONAL
49 districts		Large-scale 9 districts	Small-scale 30 districts	14 districts	5 districts
1F - 3000	3F - G - 4000	СС	LC	IDA	CF
1F - 4000	3F - G - 5000	CC-1	LC5	LI	CUF
1F - 5000	3F - G - 6000	CC-2	LC-1	LI-1	IS
1F - 6000	3F - D - 2000	EP	NS	LI-1 (7)	NI
1F - 7000	3F - D - 3000	CE	NS5	LI-2	WCF
1F - 8000	3F - D - 4000	EDA	NS-1	LI-2 (1)	
1F - 9000	R8*	EDA (3)	NS-2	M-1*	
2F	MFR	NDA	NS-2	M-2*	
2F - 2000	MFR-1	WC	L5*	M-4*	
2F - 3000	MFR-2		L-1*	M-8*	
2F - 4000	MFR-3		L-2*	I-2*	
2F - 5000	MFR/LS		B-1*	MER	
2F - 5000(A)	MFR/LS-2		B-2*	MER-2*	
2F - 6000	MFR/LS-3		B-6-65*	LIA	
2F - 7000			B-4*		
2F - 9000	H-1-50*		B-6-90a*		
3F - 2000	H-1*		B-6-90b*		
3F - 3000	H-2*		B-8-120a*		
3F - 4000	H-3-65*		B-8-120b*		
3F - 5000	H-3*		B-8-120c*		
3F - 6000	H-4*		B-8*		
3F - 7000	H-5*		B-10*		
3F - G - 2000	RH		S0.a*		
3F - G - 3000	RH-1500		S0*		
CPS	RH-2000		S1*		
CPS	RH-2000		S2*		
	WR		S2.5*		
			S3*		
			S4*		
			S5*		

(Text Amd. No. 471, § 13, 4-3-2024)